

cat. no. 104.21

Doors and casings

MECHANICAL SLIDING DOOR



There are many different types of single leaf sliding doors, characterised by basic and additional parameters.

Additional parameters allow us to produce customized doors exactly corresponding to the customer's requirements.

Sliding doors may also be used in special types of exhaust hoods constructed of partition panels.

The door may be solid or glazed with PHARMA glazing.

TECHNICAL DATA

Door type	Mechanical sliding door
Swing direction	<ul style="list-style-type: none"> symmetrical tight sliding left tight sliding right tight
Finish	<ul style="list-style-type: none"> single wing double wing symmetrical

Clear passage dimensions

width	height
1000 mm	2010 mm
1400 mm	2010 mm
1800 mm	2010 mm
700 mm	2010 mm
900 mm	2010 mm

max. clear dimensions of single wing doors 1000mmx2600mm max. clear dimensions of double wing doors 2000mmx2600mm

Type of travel

atypical

Schachermeyer

Trido

Glazing

usual glazing 400x920

solid without glazing

atypical

Glazing glass type

laminated safety glass 6mm in thickness

atypical

Blinds type

without blinds

atypical

magnetic blinds

mechanical blinds

Standard hue of blinds S156 according to the manufacturer's sample book.

Blinds control

on side of hinges

on opposite side of hinges

Hardware

stainless steel pull handle Dorma TG 9335

handle - on the door drive side

handle - on both sides of the door

without hardware

Atypical

Lock

without lock

lock

Casing mounting

without casing

finish for partition panels and masonry partitions

finish for SURGICAL

The top of the door frame is 60x90mm (adapted for Surgical). This dimension is applicable to all types of sliding doors, regardless of the type of building structure into which they are fitted!

Casing thickness

52 mm

60 mm

80 mm

100 mm

120 mm

Facing hue

Galvanized metal sheet MYRIAD, hue RAL 9016

Stainless steel AISI 304

Powder coating (Komaxit), hue RAL

RAL anti-bacterial varnish

Atypical design

In the case of different door wing facings, it is necessary to specify the hue as atypical, and to provide more details in the notes.

Casing hue and stop column hue

Galvanized metal sheet, hue RAL 9016

Stainless steel AISI 304

Powder coating (Komaxit), hue RAL

RAL anti-bacterial varnish

Protective bumper - dimensions and finish must be specified in the notes to the door order.

Atypical design

type design

atypical design

Type design

0 - Unique specification out of offered versions

Atypical design

Q - atypical design that cannot be uniquely specified by a code

MORE INFORMATION, PHOTOS

