



Personnel Airlocks

BENCHES




• Benches complete the range of facilities for personnel pass-through.




Benches CL1


- CL1 Benches for clean areas Class "C"
- The basic profile at a height of 50 mm is coated with flooring or treated with thermosetting powder coating RAL 9016.
- The interior may be articulated variously.
- The bench is made of pressed laminated chipboards.



- CL2 Benches for clean areas Class "C"
- Laminated board with an ABS edge, fitted to a metal structure on adjustable feet. Feet ends are capped to suit the clean areas.
- The frame is treated with thermosetting powder coat RAL 9016



- CL3 Benches for clean areas Class "C"
- Stainless steel plate fitted to a stainless steel structure on adjustable feet. Feet ends are capped to suit the clean areas.
- The entire bench is made of stainless steel AISI 304, with surface finish SB.



KEY:

- L partition made of panel
- P additional covering made of partition panel
 - Benches for clean areas Class "B"
 - Stainless steel plate fitted to a galvanised metal substructure.
 - Sides which do not touch walls of the room are fitted with additional covering using partition panels on a basic profile with a height of 50 mm. The basic profile is coated with flooring or treated with thermosetting powder coating RAL 9016.

MORE INFORMATION, PHOTOS



TECHNICAL DATA

Type designation	
Benches	

Bench type		
height	value	Material
400 mm	Benches for Cleanliness Class B	
400 mm	Bench with a shelf, for Cleanliness Class C	
400 mm	Benches on a metal frame, for Cleanliness Class C	
400 mm	Stainless steel bench on a metal frame, for Cleanliness Class C	

Width				
width	value			
800 mm	Bench width			
1000 mm	Bench width			
1250 mm	Bench width			
1550 mm	Bench width			
mm	Non-standard - additional size			
Additional size definition: Indicate the additional size (in mm) after the Q sy	mbol.			

Bench depth		
value	depth	
Depth	400 mm	
Depth	450 mm	
Depth	500 mm	

Articulation	
Removable shelves for shoes (sheet metal)	
Removable shelves for shoes (sheet metal)	
Removable shelves for shoes (sheet metal)	
removable shelves for shoes (sheet metal)	
removable shelves for shoes (sheet metal)	
removable shelves for shoes (sheet metal)	
lo articulation for types BL1, CL2 and CL3	
arious articulation can only be defined for the bench CL1	

Plinth 50 mm

Basic profile covered with floor covering. For new floor covering

Metal profile with surface finish. For the existing floor covering.

Ends on adjustable feet *

* for benches BL1, CL2 and CL3

Colour finish

Ends on adjustable feet *

No colour surface finish

Non-standard - optional colour finish

0 - specified for the type of stainless steel bench CL3

Non-standard design

Standard design

Non-standard solution

Standard design

0 - clear specification out of offered options

Non-standard design

Q - atypical solution that cannot be clearly specified using a code