#### Washing

# STAINLESS STEEL WASHING TABLES




- Stainless steel washing tables, along with the other elements of the Forlab stainless steel system, are a complete kit for setting up any furniture assembly that meets the customer's requirements. The table consists of worktop, frame and additional covering.
- The worktop consists of a P1.5 stainless steel sheet facing with a welded-in sink(s) and a laminate filler. From the perspective of design, it may be simple, with indentation (raised edge) or with edge raised by 40 mm.
- The frame is composed of H-shaped side legs and reinforcement bolted to the side legs. The legs feature standard adjustable feet allowing to adjust the table height (approx. 30 mm). When assembling two tables, one central leg, instead of two legs, is used for joining the two tables. The sheet covering may be one-sided, two-sided or three-sided.

### **Dimensional range:**

Width (mm)	
Depth (mm)	
Height (mm)	

900; 1200; 1500; 1800 600; 750; 900 900



## TECHNICAL DATA

Type designation

Washing table GMP

#### Table frame material

Table frame material AISI 304 FIN SB atypical

#### Worktop material

Worktop material- stainless steel AISI 304 Worktop material- stainless steel AISI 316 atypical

#### Table construction type

#### Worktop design - Smooth without edges

Worktop design - Smooth with indentation along the perimeter

Width "A"		
value	width	
Width	900 mm	
Width	1200 mm	
Width	1500 mm	
Width	1800 mm	

Depth "B"		
depth	value	
600 mm	Depth	
750 mm	Depth	
900 mm	Depth	

Sink dimensions		
dimension	value	
400×400×250	Sink	
400×400×300	Sink	
500x400x250	Sink	
500x400x300	Sink	
500x500x300 (*)	Sink	
600x450x300 (*)	Sink	
600x500x300 (*)	Sink	
1280x510x215 (***)	Bath	
1280x510x340 (***)	Bath	
510x310x215	Bath	
630x510x215 (*)	Bath	
960x510x215 (**)	Bath	
960x510x340 (**)	Bath	
(*) Sinks for table depth 750 and 900 mm.		

Sinks for table depth 750 and 900 mm.

(\*\*) Vevařovací vany for table width 1500 and 1800 mm and table depth 750 and 900 mm (\*\*\*) Vevařovací vany for table width 1500 and 1800 mm and table depth 750 and 900 mm

umber and location of sinks
vo sinks
vo sinks on the right
vo sinks on the left
nk on the left
nk on the right
nk in the middle
lixer
thout
ixer on the wall
ngle lever mixer
ngle lever pillar mixer with pull-out spout 00 - None

Water trap		
value	Material	
Water trap	Stainless steel AISI304	
Water trap	Stainless steel AISI316	
Water trap	plastic	

#### Variant of basic profile

Basic profile Stainless steel AISI304, 50mm Basic profile is covered with flooring, 50mm

another solution

### Atypical execution Typical execution

Atypical execution

Typical execution

0 - clear choice from the options

Atypical execution

Q - Atypical design, which can not be clearly identified by means of code

## MORE INFORMATION, PHOTOS

