


STAINLESS STEEL WORK TABLES



- Stainless steel work tables, along with the other elements of the Forlab stainless steel system, are a complete kit for setting up any furniture assembly that meets the customer's requirements.
- The frame is composed of H-shaped side legs and reinforcement bolted to the side legs. The legs feature standard adjustable feet allowing to adjust the table height (approx. 30 mm). When assembling two tables, one central leg, instead of two legs, is used for joining the two tables
- The worktop consists of a P1.5 stainless steel sheet facing and a laminate filler. From the perspective of design, it may be simple, with indentation (edge raised by 8 mm), with edge raised by 40 mm or partially perforated. Perforation is carried out on up to 70 % of the worktop surface using oval holes of 6.5 to 18.5 mm.

Dimensional range:

Width (mm)	900; 1200; 1500; 1800
Depth (mm)	600; 750; 800
Height (mm)	750, 900



TECHNICAL DATA

Type designation

Work table GMP

Width A	
width	value
900 mm	Table width
1200 mm	Table width
1500 mm	Table width
1800 mm	Table width

Depth B	
value	depth
Table depth	600 mm
Table depth	750 mm
Table depth	900 mm

Height C	
height	value
750 mm	Table height (total)
900 mm	Table height (total)

Worktop surface	
value	Material
Worktop surface	Stainless steel AISI304
Worktop surface	Stainless steel AISI316
Worktop surface	Artificial stone
Worktop surface	Artificial stone

Worktop design	
Perforated	
Smooth	
Perforated with sump tray	

Bordering	
Worktop with rim on the back edge	
Worktop without back hem	

Table frame surface	
value	Material
Table frame surface	Stainless steel AISI304

table set	
a set of two tables	
a set of three tables	
Separate table	

Atypical execution	
Typical execution	
Atypical execution	
Typical execution 0 - clear choice from the options Atypical execution Q - Atypical design, which can not be clearly identified by means of code	

MORE INFORMATION, PHOTOS

